

Key: R = Rare VR Very rare O = Occasional * = Unwelcome F = Frequent

| Plants on Millie Bank - observed from 19 06 2011 up to September 2021 | | | |
|---|-----------------------------------|-----------|---|
| Common name | Latin name | Where | |
| Agrimony, fragrant | <i>Agrimonia procera</i> | Meadow | R |
| Agrimony | <i>Agrimonia eupatoria</i> | Flush | R |
| Anemone, Wood | <i>Anemone nemorosa</i> | Beck | O |
| Angelica | <i>Angelica sylvestris</i> | Flush | R |
| Avens, Wood | <i>Geum urbanum</i> | Beck | R |
| Avens, hybrid | <i>Geum x intermedium</i> | Meadow | R |
| Balsam, Himalayan* | <i>Impatiens glandulifera</i> | Beck | R |
| Bedstraw, Heath | <i>Galium saxatile</i> | Meadow | R |
| Bedstraw, Hedge | <i>Galium mollugo</i> | Meadow | R |
| Bedstraw, Lady's | <i>Galium verum</i> | Meadow | R |
| Bedstraw, Marsh | <i>Galium palustre</i> | Flush | R |
| Betony | <i>Stachys officinalis</i> | Meadow | F |
| Bird's-foot-trefoil, Common | <i>Lotus corniculatus</i> | Meadow | O |
| Bird's-foot-trefoil, Greater | <i>Lotus pedunculatus</i> | Meadow | F |
| Bistort, Common | <i>Persicaria bistorta</i> | Beck | R |
| Bittercress, Wavy | <i>Cardamine flexuosa</i> | Flush | O |
| Bittercress, Large | <i>Cardamine amara</i> | Flush | R |
| Bluebell | <i>Hyacinthoides non-scriptus</i> | Wood edge | R |
| Bramble* | <i>Rubus fruticosus agg.</i> | Flush | O |
| Brooklime | <i>Veronica beccabunga</i> | Beck | R |
| Broom | <i>Cytisus scoparius</i> | Meadow | R |
| Bugle | <i>Ajuga reptans</i> | Meadow | R |
| Buttercup, Creeping* | <i>Ranunculus repens</i> | Meadow | F |
| Buttercup, Goldilocks | <i>Ranunculus auricomus</i> | Beck | R |
| Buttercup, Meadow | <i>Ranunculus acris</i> | Meadow | O |
| Campion, Red | <i>Silene dioica</i> | Meadow | O |
| Celandine, Lesser | <i>Ranunculus ficaria</i> | Meadow | R |
| Chickweed, Common | <i>Stellaria media</i> | Meadow | O |
| Chickweed, Mouse-ear | <i>Cerastium fontanum</i> | Meadow | O |
| Clover, Red | <i>Trifolium pratense</i> | Meadow | R |
| Clover, White | <i>Trifolium repens</i> | Meadow | O |
| Clover, zig-zag | <i>Trifolium medium</i> | Meadow | |
| Cranesbill, cut leaved? | | Meadow | O |
| Crosswort | <i>Cruciata laevipes</i> | Meadow | O |
| Cuckoo Flower | <i>Cardamine pratensis</i> | Meadow | O |
| Cuckoo Pint | <i>Arum maculatum</i> | Wood edge | O |
| Currant, red | <i>Ribes rubrum</i> | | |
| Daisy | <i>Bellis perennis</i> | Flush | R |
| Dandelion | <i>Taraxacum officinale agg.</i> | Meadow | F |
| Dock, Broad-leaved | <i>Rumex obtusifolius</i> | Meadow | O |
| Dock, Curled? | <i>Rumex crispus</i> | Meadow | O |
| Dock, Wood | <i>Rumex sanguineus</i> | Wood edge | O |
| Figwort, Green | <i>Scrophularia umbrosa</i> | Beck | R |
| Figwort, Water | <i>Scrophularia auriculata</i> | Beck | O |
| Forgetmenot, wood | <i>Myosotis sylvatica</i> | Beck | R |
| Forgetmenot, water | <i>Myosotis scorpioides</i> | Flush | O |
| Foxglove | <i>Digitalis purpurea</i> | Meadow | R |

List compiled by Nigel and Lois Harbron, with some additional entries by Linda Robinson.

Key: R = Rare VR Very rare O = Occasional * = Unwelcome F = Frequent

| | | | |
|----------------------------------|--------------------------------------|-----------|-----|
| Garlic | <i>Allium ursinum</i> | Wood edge | R |
| Goosegrass | <i>Galium aparine</i> | Meadow | R |
| Gorse | <i>Ulex europaeus</i> | Meadow | O |
| Gorse, western | <i>Ulex gallii</i> | Meadow | O |
| Ground-ivy | <i>Glechoma hederacea</i> | Meadow | O |
| Harebell | <i>Campanula rotundifolia</i> | Meadow | O |
| Hawkbit, Rough | <i>Leontodon hispidus</i> | Meadow | O |
| Hawksbeard, Marsh | <i>Crepis paludosa</i> | Meadow | O |
| Hawkweed, Mouse-ear | <i>Pilosella officinarum</i> | Beck | R |
| Herb Robert | <i>Geranium robertianum</i> | Meadow | R |
| Hogweed* | <i>Heracleum sphondylium</i> | Meadow | R |
| Horsetail, Field | <i>Equisetum arvense</i> | Meadow | R |
| Knapweed, Common | <i>Centaurea nigra</i> | Meadow | O |
| Mallow, common | <i>Malvasylvestris</i> | Meadow | R |
| Mouse-ear, common | <i>Cerastium fontanum</i> | Meadow | F |
| Knotgrass | <i>Polygonum aviculare agg</i> | Meadow | F |
| Marigold, Marsh | <i>Caltha palustris</i> | Flush | O |
| Meadowsweet | <i>Filipendula ulmaria</i> | Flush | O |
| Mercury, Dog's | <i>Mercurialis perennis</i> | Flush | F |
| Mint, Spear | <i>Mentha spicata</i> | Beck | O |
| Mint, Water | <i>Mentha aquatica</i> | Flush | R |
| Moschatel | <i>Adoxa moschatellina</i> | Beck | R |
| Nettle, common* | <i>Urtica dioica</i> | Beck | F |
| Orchid, Common Spotted | <i>Dactylorhiza x venusta</i> | Meadow | R |
| Orchid, Common Spotted x N Marsh | <i>Dactylorhiza fuchsii</i> | Flush | O |
| Parsley, cow | <i>Anthriscus sylvestris</i> | Flush | O |
| Pignut | <i>Conopodium majus</i> | Meadow | O |
| Plantain, Greater | <i>Plantago major</i> | Meadow | O |
| Plantain, Ribwort | <i>Plantago lanceolata</i> | Meadow | O |
| Primrose | <i>Primula vulgaris</i> | Meadow | O |
| Ragged Robin | <i>Lychnis flos-cuculi</i> | Flush | O |
| Ragwort, Common | <i>Senecio jacobea</i> | Meadow | R |
| Ragwort, Marsh | <i>Senecio aquaticus</i> | Flush | O |
| Rest-harrow | <i>Ononis repens</i> | Meadow | O |
| Rose, Dog | <i>Rosa canina</i> | Meadow | O |
| Saxifrage, golden | <i>Chrysosplenium oppositifolium</i> | Beck | O |
| Scabious, Devilsbit | <i>Succisa pratensis</i> | Meadow | O |
| Self-heal | <i>Prunella vulgaris</i> | Meadow | O/F |
| Silverweed | <i>Potentilla anserina</i> | Meadow | O |
| Sorrel, Common | <i>Rumex acetosa</i> | Meadow | R |
| Sorrel, Sheep's | <i>Rumex acetosella</i> | Meadow | F |
| Speedwell, Germander | <i>Veronica chaemedrys</i> | Meadow | O |
| Speedwell, Thyme-leaved | <i>Veronica serpyllifolia</i> | Meadow | O |
| Speedwell, wood | <i>Veronica montana</i> | Beck edge | E |
| St John's Wort, Imperforate | <i>Hypericum maculatum</i> | Meadow | O/F |
| Stitchwort, marsh | <i>Stellaria alsine</i> | Flush | R |
| Stichwort, Lesser | <i>Stellaria graminea</i> | Flush | R |
| Stitchwort, Greater | <i>Stellaria holostea</i> | Meadow | O |
| Stitchwort, wood | <i>Stellaria nemorum</i> | Beck edge | R |
| Strawberry, barren | <i>Potentilla sterilis</i> | Meadow | F |

Key: R = Rare VR Very rare O = Occasional * = Unwelcome F = Frequent

| | | | |
|---------------------------------------|---|-----------|-----|
| Thistle, Creeping* | <i>Cirsium arvense</i> | Meadow | O |
| Thistle, Marsh | <i>Cirsium palustre</i> | Flush | O/F |
| Thistle, Spear* | <i>Cirsium vulgare</i> | Meadow | O |
| Thistle, Welled | <i>Carduus crispus</i> | Meadow | R |
| Tormentil | <i>Potentilla erecta</i> | Meadow | R |
| Trefoil, Hop? | | Meadow | O |
| Valerian, Common | <i>Valeriana officinalis</i> | Flush | R |
| Vetch, Bush | <i>Vicia sepium</i> | Meadow | R |
| Vetchling, Meadow | <i>Lathyrus pratensis</i> | Meadow | R |
| Violet, common dog | <i>Viola riviniana</i> | Meadow | O |
| Violet, early dog | <i>Viola reichenbachiana</i> | Meadow | R |
| Violet, Hybrid | <i>V canina x V riviniana (V x intersita)</i> | | VR |
| Watercress | <i>Rorippa nasturtium-aquaticum</i> | Flush | R |
| Willow Herb, Rosebay | <i>Chamerion angustifolium</i> | Wood edge | R |
| Willow Herb, Marsh | <i>Epilobium palustre</i> | | |
| Willow Herb, Broad-leaved | <i>Epilobium montanum</i> | Meadow | R |
| Yarrow | <i>Achillea millefolium</i> | Meadow | O |
| | | | |
| GRASSES, RUSHES, REEDS, SEDGES | | | |
| Bent, creeping | <i>Agrostis stolonifera</i> | | |
| Bent, common | <i>Agrostis capillaris</i> | | |
| Cocksfoot | <i>Dactylis glomerata</i> | | |
| Dog's-tail, Crested | <i>Cynosurus cristatus</i> | | |
| Fescue, giant | <i>Festuca gigantea</i> | Beck | |
| Fescue, Meadow | <i>Festuca pratensis</i> | | |
| Fescue, Red | <i>Festuca rubra</i> | | |
| Fescue, sheep's | <i>Festuca ovina</i> | Meadow | |
| Foxtail, Meadow | <i>Alopecurus pratensis</i> | | |
| Foxtail, Marsh | <i>Alopecurus geniculatus</i> | Ditch | |
| Hair-grass, tufted | <i>Deschampsia cespitosa</i> | | |
| Meadow Grass, Annual | <i>Poa annualis</i> | | |
| Meadow Grass, Rough | <i>Poa trivialis</i> | | |
| Meadow Grass, Smooth | <i>Poa pratensis</i> | | |
| Oat Grass, False | <i>Arrhenatherum elatius</i> | | |
| Sedge, hairy | <i>Carex hirta</i> | | |
| Rush, soft | <i>Juncus effusus</i> | | |
| Rush, sharp-flowered | <i>Juncus acutiflorus</i> | | |
| Ryegrass | <i>Lolium perenne</i> | | |
| Soft-grass, creeping | <i>Holcus mollis</i> | | |
| Sweet-grass, Floating | <i>Glyceria fluitans</i> | Beck | |
| Timothy | <i>Phleum pratense</i> | | |
| Vernal-grass, Sweet | <i>Anthoxanthum odoratum</i> | | |
| Yorkshire-fog | <i>Holcus lanatus</i> | | |
| Horsetail, Field | <i>Equisetum arvense</i> | | |
| Fern, Male | <i>Dryopteris felix-mas</i> | | |
| Fern, Lady | <i>Athyrium felix-femina</i> | | |
| Polypody | <i>Polypodium vulgare</i> | | |
| Shield-fern, Hard | <i>Polystichum aculeatum</i> | | |
| Rushes | | | |
| Rush, Sharp-flowered | <i>Juncus acutiflorus</i> | Flush | |

Key: R = Rare VR Very rare O = Occasional * = Unwelcome F = Frequent

| | | | |
|-------------------|---------------------------|---------|--|
| Rush, articulated | <i>Juncus articulatus</i> | Ditch | |
| Rush, Soft | <i>Juncus effusus</i> | Meadow | |
| Rush, Toad | <i>Juncus bufonius</i> | Ditch | |
| Sedge, oval | <i>Carex ovalis</i> | | |
| Sedge, remote | <i>Carex remota</i> | By beck | |
| Sedge, glaucous | <i>Carex flacca</i> | Flush | |
| Sedge, spring | <i>Carex caryophylla</i> | Meadow | |
| Wood rush, field | <i>Luzula campestris</i> | Meadow | |
| Trees | | | |
| Alder | | | |
| Ash | | | |
| Elm | | | |
| Hawthorn | | | |
| Hazel | | | |
| Oak | | | |
| Willow | | | |